

CMI RII Release 4.7 Functional Overview

Copyright

© 1999, 2009, 2019, 2024 T-Systems International GmbH. All rights reserved. Printed in Germany.

Contact

T-Systems International GmbH Business Unit PLM Fasanenweg 5 70771 Leinfelden-Echterdingen Germany

http://www.cmi-support.com

☎ +49 (0)40 30600-5544
➡ +49 (0)391 5801-25688
mail : *cmi_support* @*t*-systems.com

Document History

Version	Date	Version	Date
1.1	February 2009	3.7	November 2014
1.2	March 2009	3.8	April 2015
2.0	July 2009	3.9	November 2015
2.1	October 2009	4.0	April 2016
2.2	April 2010	4.1	May 2017
2.3	November 2010	4.2	May 2018
3.0	April 2011	4.2.1	July 2018
3.1	November 2011	4.3	May 2019
3.2	April 2012	4.4	April 2021
3.3	November 2012	4.5	June 2022
3.4	April 2013	4.6	June 2023
3.5	November 2013	4.7	May 2024
3.6	April 2014		

This edition obsoletes all previous editions.

Trademarks

CATIA is a registered trademark of Dassault Systèmes.

Metaphase is a registered trademark of Metaphase Technology, Inc.

Teamcenter is a registered trademark of Siemens PLM Corporation.

Names of other products mentioned in this manual are used only for identification purpose and may be trademarks of their companies.

Preface

About this Document

This document provides an overview about the functional enhancements of the current CMI RII release. A history of the functional enhancements of previous releases is also provided.

Related Documents

The following manuals contain information about installation, usage and customization of the CATIA Teamcenter Interface:

Manual Title	Version
CATIA Teamcenter Interface RII Installation Manual	4.7
CATIA Teamcenter Interface RII User Manual	4.7
CATIA Teamcenter Interface RII Customizing Manual	4.7

Your Comments are Welcome

Please feel free to tell us your opinion; we are always interested in improving our publications. Mail your comments to:

T-Systems International GmbH Business Unit PLM Fasanenweg 5 70771 Leinfelden-Echterdingen Germany

E-mail: cmi_support@t-systems.com

Table of Contents

CMI RII VERSION 4.7	1
VERSION SUPPORT	1
CMI RII VERSION 4.6	3
VERSION SUPPORT	3
CMI RII VERSION 4.5	5
VERSION SUPPORT SUPPORT FOR CMI TOOLBOX API	5 5
CMI RII VERSION 4.4	7
VERSION SUPPORT	7
CMI RII VERSION 4.3	9
VERSION SUPPORT	9
CMI RII VERSION 4.2.1	11
SUPPORT FOR OPEN PART FROM TEAMCENTER - API	11
CMI RII VERSION 4.2	13
SUPPORT FOR MULTIPLE SELECTED OBJECTS FOR SENDTO CMIRII	13 13
CMI RII VERSION 4.1	15
SUPPORT XML STYLESHEETS IN CMI RII CREATE DIALOG SKIP ITEMS W/O CAD FILES VERSION SUPPORT	15 16 16
CMI RII VERSION 4.0	17
VERSION SUPPORT	17
CMI RII VERSION 3.9	19
FILE SUPPORT VERSION SUPPORT	19 19
CMI RII VERSION 3.8	21
VERSION SUPPORT INTEROPERABILITY	21 21
CMI RII VERSION 3.7	23
MINOR CATIA CLIENT BUG FIXES	23
CMI RII VERSION 3.6	25
ABOUT DIALOG VERSION SUPPORT CAA CUSTOMIZATION: CALLBACKS FOR SYNCHRONIZE <i>Configuration</i>	25 25 25 . <i>25</i>
CMI RII VERSION 3.5	27
COMPARE VERSION	~7
SEND CONFIGURED TO CATIA	27 27
COMPARE VERSION SEND CONFIGURED TO CATIA CMI RII VERSION 3.4	27 27 29

VERSION SUPPORT	. 30
CMI RII VERSION 3.3	. 31
SET QUANTITY FOR NEW RELATIONS REPLACE FROM TEAMCENTER ADMINISTRATIVE LOCK FOR CMI PREFERENCES	. 31 . 31 . 31
CATPRODUCT BOUNDING BOXES CATPROCESS WORKBENCH CATIA V6 INTEROPERABILITY	. 32 . 33 . 33
CMI RII VERSION 3.2	. 35
VISUALIZATION GEOMETRIES CATANALYSIS SUPPORT SINGLE MODEL EXPAND USE BOM PARTS IN CMIARCHIVES VOLUME/NEIGHBOURHOOD SEARCH IN CMI RII APPLICATION INSERT TO CATIA IN MY TEAMCENTER APPLICATION	35 35 37 37 37 38 38
MINIMIZE CA I PRODUCT UPDATES	. 38
	. 39
START PART FROM TEAMCENTER USE OF CATSCRIPT MACROS IN CATALOG SUPPORT OF CGM TYPE FILES	. 39 . 40 . 41
CUSTOMIZABLE NAMING SCHEMES FOR EXPORT VOLUME/NEIGHBOURHOOD SEARCH IN PSE Neighbourhood Search:	. 41 . 42 42 42
ENHANCED WINDOW MANAGEMENT WITH WINDOWS OS	. 43 . 44 . 44 . 45
CREATE ITEM FOR CATALOG DERIVED FILES FOR CATDRAWING	45 45 45 45
MULTISELECTION RECONNECT CREATEITEM FORMDEFINITION FOR ITEMTYPES COMPONENT HANDLING	46 47 47
CMI RII VERSION 3.0	. 49
NAME MAPPING OF EXTERNAL DATA	. 49
Import – Synchronize with mapping file Export – Export Structure to Folder	.49 .49 .50
COPY STRUCTURE FACILITY CMI CONTEXTUAL MENU IN CATIA	. 50 . 50 . 50
CATIA VERSION HANDLING CONFIGURABLE NEWSTUFF FOLDER DATASET TYPES FOR GEOMETRY	. 51 . 52 . 52
CHECK IN/CHECK OUT DIALOG ENHANCEMENT USE LATEST ITEMREVISION IN CATALOGS USE CATIA FILENAME/PARTNUMBER USE PACK BOM LINE	53 53 53 53 53
CMI RII VERSION 2.3	. 55
NAMING CONVENTION CMI RII FUNCTIONALITY IN SEVERAL APPLICATIONS SELECT ITEM TYPE CREATE ITEM DIALOG WITH FORMS REMEMBER ATTRIBUTES ENHANCED SUPPORT FOR READ MODE FROM CATIA	55 55 55 56 56 57
CATPROCESS SUPPORT	. 59 . 61

CMIARCHIVE SUPPORT DESIGN TABLE SUPPORT DRAWING FRAME SUPPORT PERFORMANCE IMPROVEMENTS	61 61 62 62
MI RII VERSION 2.1	63
DATASET PSEUDO REVISE CREATE DIALOG	63 63
MI RII VERSION 2.0	65
TEAMCENTER 8 SUPPORT	65 65 65 65 66 66 66
MI RII VERSION 1.2	67
SUPPORT FOR RELEASED CACHE CGR FILES	67 67 67 68 69 69 70
MI RII VERSION 1.1	71
SEND TO CATIA FROM PSE APPLICATION SEND TO CATIA FROM MY TEAMCENTER APPLICATION LINK TO NEWSTUFF FOLDER PERFORMANCE OPTIMIZATION	71 71 72 72

Table of Figures

	4.0
FIGURE 1: CREATE PART DIALOG	. 16
FIGURE 2: ABOUT CMI RII DIALOG	. 25
FIGURE 3: SEND CONFIGURED TO CATIA COMMAND	. 27
FIGURE 4: SEND CONFIGURED TO CATIA DIALOG	. 28
FIGURE 5: BROWSE IN TEAMCENTER FUNCTIONALITY.	. 29
FIGURE 6: CMI PREFERENCES ADMINISTRATOR VIEW.	. 32
FIGURE 7: CMI PREFERENCES USER VIEW.	. 32
FIGURE 8: VISUALIZATION MODEL REPRESENTS THE FIXEDPARTS STRUCTURE.	. 35
FIGURE 9: CATANALYSIS STORED IN A DATASET	. 36
FIGURE 10: CATANALYSIS RELATED SETTINGS AND CONTEXT MENUS	. 36
FIGURE 11: TEAMCENTER ITEMS ASSEMBLED IN CMIARCHIVE CONTENT	. 37
FIGURE 12: THE CMI RII CREATE DIALOG FOR ITEM AND DATASET WITH TEMPLATE	. 39
FIGURE 13: THE CMI RII CREATE DIALOG FOR DATASET WITH TEMPLATE	. 40
FIGURE 14: CATSCRIPT QUERY IN TEAMCENTER	. 40
FIGURE 15: CATSCRIPT INSERTED IN THE CATIA CATALOG	. 40
FIGURE 16: CMI RII PREFERENCES FOR CGM SUPPORT	. 41
FIGURE 17: NAMING SCHEMA DIALOG.	. 42
FIGURE 18: NEIGHBOURHOOD SEARCH	42
FIGURE 19. VOLUME DEFINITION DIALOG	43
FIGURE 20: CMI RIL PREFERENCES PANEL	43
FIGURE 21' SELECTED RESULT LINES IN STRUCTURE MANAGER	44
FIGURE 22: INFO LIST	45
FIGURE 23: RECONNECT DIALOG	46
FIGURE 24: THE CMI RII SYNCHRONIZE DIALOG IN CATIA V5	. 49
FIGURE 25: THE CMI RII CONTEXT MENU IN CATIA V5	. 49
FIGURE 26: THE CMI RII EXPORT STRUCTURE TO FOLDER COMMAND IN CATIA V5	. 50
FIGURE 27: THE CMI RII CONTEXT MENU IN CATIA V5	. 50
FIGURE 28: THE CMI RII CONTEXT MENU IN CATIA V5	. 51
FIGURE 29: WARNING IN CATIA V5	51
FIGURE 30: THE CMI RII APPLICATION OPTIONS DIALOG	52
FIGURE 31: CHECK IN/CHECK OUT DIALOG	53
FIGURE 32: CREATE ITEM DIALOG WITH SELECT ITEM TYPE BUTTON	56
FIGURE 33: SELECT ITEM TYPE DIALOG	. 56
FIGURE 34: FORMS IN THE CREATE ITEM DIALOG	. 57
FIGURE 35: CREATE ITEM DIALOG WITH REMEMBER ATTRIBUTES CHECK BOX	58
FIGURE 36: CMI RII OPTIONS	59
FIGURE 37: CMI ARCHIVES	61
FIGURE 38: CREATE ITEM DIALOG	. 63
FIGURE 39: CHECK IN/OUT DIALOG	66
FIGURE 40: RECONNECT DIALOG	67
FIGURE 41' RECONNECT DIALOG - PROCESSED	68
FIGURE 42' INSERT FROM TEAMCENTER	68
FIGURE 43: CREATE ITEM WITH PART NUMBER CONFLICT	69
FIGURE 44' SEND TO CATIA FROM PSE APPLICATION	71
FIGURE 45: SEND TO CATIA FROM MY TEAMCENTER APPLICATION	72

New Functionalities

Version support

This Release adds support for CATIA V5-6R2024 (R34). This Release adds support for Teamcenter 2312.

New Functionalities

Version support

This Release adds support for CATIA V5-6R2023 (R33).

New Functionalities

Version support

This Release adds support for CATIA V5-6R2022 (R32). This Release adds support for Teamcenter 14.0.

Support for CMI toolbox API

Support for the CMI toolbox API.

New Functionalities

Version support

This Release adds support for CATIA V5-6R2020 (R30). This Release adds support for CATIA V5-6R2021 (R31). This Release adds support for Teamcenter 13.0.

New Functionalities

Version support

This Release adds support for CATIA V5-6R2019 (R29). This Release adds support for Teamcenter 12.0.

New Functionalities

Support for Open Part from Teamcenter - API

Support for a CMI API that will fetch a Part from Teamcenter and open it in CATIA.

New Functionalities

Support for multiple selected Objects for SendTo CMIRI

Multiple selected Objects can be send to the CMI RII application from My Teamcenter and are opened in CMI RII application.

Version support

This Release adds support for CATIA V5-6R2018 (R28).

This Release removes support for Teamcenter 2007.

This Release removes support for Teamcenter 8.

This Release removes support for Teamcenter 9.

New Functionalities

Support XML Stylesheets in CMI RII Create Dialog

The following tags of the XML stylesheet for the create dialog are supported by CMI RII:

Parent element	Child element
	<page></page>
<page></page>	<column>, <firstcolumn>¹,</firstcolumn></column>
	<secondcolumn>1</secondcolumn>
	<property></property>
	<separator></separator>
<column>, <firstcolumn>¹, <secondcolumn>¹</secondcolumn></firstcolumn></column>	<section></section>
	<view>1</view>
<section></section>	<property></property>
	<separator></separator>
<view>1</view>	<property></property>
	<separator></separator>
<property></property>	
supported element "renderingHint": "checkbox"	
<separator></separator>	

Example for XML RenderingStylesheet (see Figure 1: Create Part dialog):

- It includes two columns.
- The rendering hint for "Configuration Item" is set to "checkbox".
- "Design Required" without rendering hint: Default widget is "True/False" radio buttons.

¹ Deprecated in Teamcenter 10.1

Item Type				
Part		•		Select item type
Item Information			Item Revision Information	
ID	Product3	* Assign	Make/Buy 0	¥
Revision		* Assign		
Name		•		
Description				
Unit of Measure				
Configuration Iter	n? 🛅			
Additional Item Ir	formation			
Design Required	True Salse			
				•
Remember Attr	ibutes	Ok	ancel	

Figure 1: Create Part dialog

Configuration

If the CMI RII preference "CMIUseXmIRenderingStylesheets" is set to "1" the XML Rendering style sheets are used for the create item dialog.

Default value is "1".

The style sheet has to be configured in the preferences, e.g. "Item.CREATERENDERING" is set to "MyItemCreate".

Skip Items w/o CAD files

The items that have no CAD files can be skipped during the transfer to CATIA. In this case no empty files will be created in CATIA.

Configuration

If the CMI RII preference "CMISkipItemWithoutCadFile" is set to "1" the item that has no CAD file will be skipped including its sub tree.

Default value is "0".

Version support

This Release adds support for CATIA V5-6R2017 (R27).

New Functionalities

Version support

This Release adds support for CATIA V5-6R2016 (R26).

New Functionalities

File support

The file types xlsx and xlsm are now supported for the Design Table creation.

Version support

This Release adds support for Teamcenter 11.2

New Functionalities

Version support

This Release adds support for CATIA V5-6R2015 (R25).

Interoperability

A Teamcenter Global Services mapping for CMI / Teamcenter Enterprise to CMIRII / Teamcenter is available upon request. Please enquire at <u>cmi_support@t-systems.com</u>

New Functionalities

Minor CATIA client bug fixes

TicketID 1630: Attach/Update Blackbox command is missing

The Attach/Create Blackbox command was not available and could no longer be enabled with CMI_ENABLE_CMIATTBBCMD.

TicketID 1631: Attach/Update Blackbox fails

Potential Memory violation fixed.

Note that the Attach/Update Blackbox command is deprecated. A similar functionality is provided by the Create Archive Command.

New Functionalities

About Dialog

The action CMI RII → About CMI RII in the applications Structure Manager, Multi-Structure Manager, Manufacturing Process Planner, and My Teamcenter opens a dialog which shows the version of the installed CMI RII package.





Version support

This Release adds support for CATIA V5-6R2014.

CAA Customization: Callbacks for Synchronize

An API is provided for performing custom steps before and after the Synchronize function in CATIA, as callback functions in CAA. The callback is implemented by loading a customer compiled shared library (dll) that contains pre-specified static functions.

The following callback functions are available:

extern "C" HRESULT CMICusPrepareSynchronize (CATUnicodeString &sFeedback, CATBoolean &bCancel)

extern "C" HRESULT CMICusPreSynchronize (CATUnicodeString &sFeedback, CATBoolean &bCancel)

extern "C" HRESULT CMICusPostSynchronize (const CATUnicodeString &sFeedback, const CATBoolean &bCompleted)

A sample Visual Studio Project to create the customizing DLL is provided in data\CMICAA\CMICusCallbackWorkspace.zip

Configuration

The custom callbacks are enabled by setting

CMI_ENABLE_CUSTOMIZATION=ON in your CATIA environment.

CMICusCallback.dll has to be installed in the %PATH%.
CMI RII VERSION 3.5

New Functionalities

Compare Version



A new command *Compare Version* has been added in CATIA. The command allows to compare different versions of the same CAD files. While the existing *Add Temp* command allows to add a temporary (read only) version of a structure from Teamcenter, *Compare Version* allows to add a version of the structure so that it can be modified. In this case the version that was already loaded is renamed and can no longer be modified.

Configuration

The *Compare Version* command is enabled by default. Set CMI_DISABLE_COMPARECMD=ON in your CATIA environment to remove the command.

Send Configured to CATIA

A new command Send Configured to CATIA has been added in the My Teamcenter application (see Figure 3). This command will send the selected Item Revision from My Teamcenter with the chosen Revision Rule and Variant to CATIA.

🎾 My Teamcenter - Teamcenter 10							
File Edit View CMI RII Translation Tool	ls Window Help						
] 🛛 💰 🗎 💈 🛸 🐘] 🐎 🗞	2 🖆 😭 🔒 k	- 🎫 🔳 🔍 🔯			TEAN	/ICENTER	SIEMENS
③ • ③ • My Teamcenter	(sde5283 (sde5283) - (dba / DBA - [IMC2028753396] [101010D				• ×
	3 000026/A·2 3 000	1025/A-1 - Engine		Summary St	Details	sis or Viewer	IT Preview »,
▼ Search	· · · · · · · · · · · · · · · · · · ·						
Engine			•			- Send	
Quick Links Customize	Engine			Engine/A,1	;1		
🐎 Home 🛛 🚿	■C Engine-Vi	ew		Owner:	Last Modified Date:	Release Status: Type	
🕲 My Worklist 🛛 🚿	😑 🧐 Engine/A,	Send to CATIA		Sde 5283 (sde 5283)	5283) 04-Nov-2013 13:00	Iter	nRevision
My Projects >>	😭 Engine	Send Configured to CATIA		verview Attachm	ents History Where I	Ised) Structure *)	AuditLogs
My Links //	Engine	Conu Reference		* Properties		h Preview	Main 2090
See My View/Markup >>>	🗉 🥥 Fyper			Name:	Engine	> FIEVIEW	
	🗉 🚮 Engine	of Cut	Ctrl+X	Description:		 Actions 	
Open Items Close All	💿 🕞 View	Copy	Ctrl+C	Release Status:		Copy	
Sengine				Date Released:		O Revise	
000025/A;1		Generate Report		Effectivity:		Save As	
N Gatting Started		Open with	•	Revision Effectivity		🗞 <u>New Workflow</u>	Process
Setting Started		Send To	•		I 5000 (I 5000)		
CMI RII		Check-In/Out	•	Owner:	S0e5283 (S0e5283)		
🛞 My Teamcenter	🖃 🤌 Engine/A,1;1			Group ID:	Traineering		
🔁 Lifecycle Viewer	📝 Engine/A,	Remove Immunity		Last Modifying User:	8 sde5283 (sde5283)		
		Purge		Checked-Out:			
Structure Manager	Ivpe V	Defrech	E5	Checked-Out By:	No Value		
🔍 ADA License	 Engine/A, 	Edit Properties		Mara Davastas			
🐼 CAE Manager	🕀 🔯 View	View Properties	Alt+Enter	More Properces			
A		Properties On Relation		 Classification Prop 	erties		
Multi-Structure Manager		Access					
Resource Manager		Hoject	•	-			
🤹 Part Planner		License	•		ſ •	1	· · ·
• 🗟 »	.	Add Design To Product		Check O Check I	Save and Keep C	heck Cancel	Check
- 04 <i>"</i>		Sear Aud Part To Product				1 2 2 2	
Ready		Multi-Site Synchronization	•			🛛 🗸 🗙 🖉	י 🛄 🕅 💏 🚺 🔁 ו

Figure 3: Send Configured to CATIA command

Use the context menu of a selected Item Revision and start the Send Configured to CATIA command or select the Item Revision and use the CMI RII \rightarrow Send Configured To CATIA command from the main menu.

A dialog will be opened (see Figure 4). In the dialog you can select the Revision Rule and the Variant (StoredOptionSet or VariantRule) for the selected Item Revision. If no Variant is found the Variant option is disabled.

After clicking the OK button the expand is performed and the structure is sent to CATIA.

💯 Configure E	ingine/A,1;1	×
Select Configu	ration	
Revision Rule:	Latest Working	•
Variant:	Туре V 💌	
[OK Cancel	

Figure 4: Send Configured To CATIA dialog

CMI RII VERSION 3.4

New Functionalities

Browse in TC

The Browse in TC command is enables the User to Open the representing Teamcenter object for a selected CATIA object in the My Teamcenter application in Teamcenter.

Select a Object in CATIA and start the Browse in Teamcenter command. The representing Teamcenter object is opened in the My Teamcenter application in Teamcenter (see Figure 5).



Figure 5: Browse in Teamcenter functionality.

Configuration

Set CMI_ENABLE_CMIBROWSEINTCCMD=ON in CATIA environment to enable the *Browse in Teamcenter* command in CATIA.

Revise in TC

The Revise in Teamcenter command Revise of Teamcenter objects from CATIA.

Select a CATPart or CATProduct in CATIA and start the Revise in Teamcenter command.

The corresponding Teamcenter Item Revision is revised in Teamcenter and the Item Revision itself and the Item Revision children (BOMLines) are updated in CATIA in the way a CMIRead of the same data would do it. That is, the metadata (ID, attributes etc.) is updated and structural changes are applied, but no modifications (geometry, position) are lost, and modified flags are preserved.

A subsequent update will update the revised (reread) PDM objects and not the objects initially loaded.

Configuration

Set CMI_ENABLE_CMIREVISECMD=ON in CATIA environment to enable the *Revise in Teamcenter* command in CATIA.

Version support

This Release adds support for CATIA V5-6R2013.

CMI RII VERSION 3.3

New Functionalities

Set Quantity for new Relations

The Quantity attribute of a newly created structure relation can be set to "1".

Teamcenter returns "0" for the quantity, if the child has an non empty *Unit of Measure* attribute and the *Quantity* attribute is empty. If the Teamcenter preference **CMIDoNotLoadZeroQuantity** is set to "1" these Items are not loaded to CATIA. To load these Items the empty Quantity must be set to "1" when a new relation is created.

Configuration

To enable the "Quantity for new Relations" behavior the Teamcenter preference **CMISetQuantityForCreateBomRel** must be set to "1".

Replace from Teamcenter

The replace from Teamcenter function allows to replace an instance in CATIA with an Item from Teamcenter.

Select an instance in CATIA, then use Replace from Teamcenter. Choose an Item Revision in Teamcenter and send it to CATIA. The selected instance will be replaced by the Teamcenter Item, keeping the original instance name and positioning information.

Usage is similar to the existing function Insert from Teamcenter.

Using Synchronize you can update the assembly with the new relation, the old one will be deleted.

Configuration

Set CMI_REPLACE_ALLOW_NONBOM=ON in CATIA to allow replace of Non-BOM CATParts.

The new function can be removed from the CMI Toolbar by setting CMI_REMOVE_CMIREPLACEPDMSTRUCTURECMD=ON.

Administrative lock for CMI Preferences

An administrator can now lock CMI preferences similar to other CATIA preferences, using the CNEXT –admin interface (see Figure 12 and Figure 7).



Figure 6: CMI Preferences administrator view.



Figure 7: CMI Preferences user view.

The locked preferences will have the administrators default values and cannot be changed by the users.

CATProduct Bounding Boxes

The CATIA Product class in Teamcenter has been enhanced with bounding box information. CATProduct bounding boxes will generally remain empty, except for a specific use case:

With CMI there are options where 3D geometry is not stored in Teamcenter, but rather included from the CATIA environment, e.g. to include Standard Parts from catalogs.

As these parts are not represented in Teamcenter, they would not be part of the result of a DMU neigborhood search. This is adressed by the CATProduct bounding boxes, which are placeholders for exactly those Parts that are external to Teamcenter.

DMU neighorhood search will expand assemblies whose products have an eligible bounding box, in addition to those assemblies that contain eligible CATParts.

Configuration

In the Teamcenter configuration, set CMI_PRODUCT_BBOX "ON"; to include product bounding boxes in the DMU neighborhood search functionality.

In the CATIA environment set CMI_CALC_BBOX_FOR_IGNOREDCHILDREN=ON to enable calculation of the bounding box when a modified CATProduct is updated.

Set CMI_CALC_BBOX_FOR_IGNOREDCHILDREN=FORCE in a migration scenario for existing data. This will enable the save of bounding boxes whenever a CATProduct is writeable (to provide existing products with a bounding box, where the external parts were already present).

A bounding box will only be stored if CATParts or other geometry files are ignored due to a configurable embedded node behavior, and the new <BBox> tag is configured in the CMI configuration file.

Example:

<ConfigurableBehaviors>

<ConfigurableBehavior UniqueID = "EmbeddedNode_STD_Ignore">

<BehaviorType>EmbeddedNodeBehavior</BehaviorType>

<PartNumberPrefix>STD_</PartNumberPrefix>

<Behavior>IgnoreNode</Behavior>

<BBox>true</BBox>

</ConfigurableBehavior

</ConfigurableBehaviors>

CATProcess Workbench

The CATProcess Workbench does now support configurable node behaviors.

CATIA V6 interoperability

Beginning with CATIA V5-6R2012 (R22) there is a level of compatibility between CATIA V5 and V6 data. File data exchange between CATIA V5 and CATIA V6 can be achieved with the Reconnect and Import/Export mapping functionality using the CATIA V6 FBDI batch facility. We provide a use case document that describes this scenario in detail.

CMI RII VERSION 3.2

New Functionalities

Visualization Geometries

CMI RII now supports Visualization geometries which can visualize substructures in CATIA.

The *Build Visualization command* in CATIA builds up or updates a visualization file from a selected product and stores the visualization under the selected item. This visualization file can then be created/updated with the CMI *Synchronize* command.

In the CMI RII Application a structure can be multiple level expanded with the *Expand for Visualization command* in the context menu. This command expands the structure, but skips the child structure expand when a visualization is found.



Figure 8: Visualization model represents the FixedParts structure.

The expanded structure can then be sent to CATIA and the visualization file visualizes the child structure.

CATAnalysis support

CATAnalysis files can now be stored in Teamcenter as a dataset, without need for a CMIArchive. The Analysis is attached to the Teamcenter Item Revision of the CATProduct or CATPart that it is referencing. It is handled in a similar way as a CATDrawing – normally the CATAnalysis files are not loaded; it is loaded if it is expanded in the CMI RII application.

Unlike with a CATDrawing, the assemblies referenced by the CATAnalysis are updated if you use the *Synchronize Teamcenter* function in the Analysis Workshop.



Figure 9: CATAnalysis stored in a Dataset

A new preference "Send analysis files to CATIA?" has been added to the CMI RII Options in the Rich Client. As with a CATDrawing, you would usually keep this as unchecked, and users would expand Analysis files explicitly, with the *Expand Analysis* context command provided for Item Revisions in the CMI RII application.



Figure 10: CATAnalysis related settings and context menus

Configuration

Set the configuration variable CMI_STORE_ANALYSIS=ON in the CATIA V5 environment to store the Analysis as a Dataset. Otherwise the prior functionality to store the Analysis as a CMIArchive can be applied.

Single model expand

CATDrawing, CATAnalysis and cgm models can be separately expanded in the CMI RII application. If the "Send drawings to CATIA?", "Send cgms to CATIA?" or "Send analysis files to CATIA?" preference is not selected, these dataset types can be expanded in the CMI RII application window with the corresponding context menu. The expanded models can then be sent to CATIA.

Use BOM Parts in CMIArchives

CMIArchives can be used to store CATIA product structures that do not have a corresponding Teamcenter product structure.

The CMIArchive functionality was enhanced so that Items from Teamcenter can be built into CATProducts that are just part of a CMIArchive and do not have a Teamcenter Item. In the Teamcenter database, these Items are built directly into the assembly that attaches the CMIArchive.

Archives that reference Items are updated using the *Synchronize Teamcenter* function. When an Archive is newly created with *Creates/Attaches an Archive*, it must not reference BOM Parts.



Figure 11: Teamcenter Items assembled in CMIArchive content

Configuration

Set CMI_ARCHIVE_BOM_CHILDREN=ON in the CATIA V5 environment to allow synchronization of Archives to contain Teamcenter parts.

Without this setting, Archives containing Teamcenter Item Revisions cannot be saved (as before).

Changed/enhanced Functionalities

Volume/Neighbourhood Search in CMI RII application

The Volume/Neighbourhood Search functionality is now available in the CMI RII Application.

Insert to CATIA in My Teamcenter application

The *Insert to CATIA* command is now also available in the My Teamcenter Application. After starting the *Insert From Teamcenter* command in CATIA it is now possible to send geometry files (BOM geometries and auxiliary geometries) from the My Teamcenter application to CATIA.

Minimize CATProduct updates

In prior releases of CMI RII it could often be observed that CATProducts needed an update even if only the geometry of a CATPart had been changed.

We have been able to minimize this effect for CMI RII 3.2. CATProducts will still need to be updated if they are shown as modified in the CATIA save management, however.

CMI RII VERSION 3.1

New Functionalities

Start Part from Teamcenter

Now it is possible to create new CATIA files for a BOM CATPart, an AUX CATPart, a CATProduct, and a CATDrawing from Teamcenter. The template datasets are available in Teamcenter and their referenced CATIA files are used for the new CATIA file.

There is a new dialog to create an item with its dataset. In this dialog the template dataset can be selected (see Figure 12).

These	ate	
-item-		
	Basic Item Information	
	ID / Revision - Name	
	Assign	
	Item Information	
	Description	
	Unit of Measure	
Data	et	
	Template Dataset	
	Template Dataset Select template dataset	
	Template Dataset Select template dataset Basic Dataset Information	
	Template Dataset Select template dataset Basic Dataset Information Name	
	Template Dataset Select template dataset Basic Dataset Information Name Generated	
	Template Dataset Select template dataset Basic Dataset Information Name Generated CML Part Dataset Information	
	Template Dataset Select template dataset Basic Dataset Information Name Generated CMI Part Dataset Information	
	Template Dataset Select template dataset Basic Dataset Information Name Generated CMI Part Dataset Information Description	
	Template Dataset Select template dataset Basic Dataset Information Name Generated CMI Part Dataset Information Description	
	Template Dataset Select template dataset Basic Dataset Information Name Generated CMI Part Dataset Information Description	
	Template Dataset Select template dataset Basic Dataset Information Name Generated CMI Part Dataset Information Description	
	Template Dataset Select template dataset Basic Dataset Information Name Generated CMI Part Dataset Information Description	
	Template Dataset Select template dataset Basic Dataset Information Name Generated CMI Part Dataset Information Description	
	Template Dataset Select template dataset Basic Dataset Information Name Generated CMI Part Dataset Information Description	
	Template Dataset Select template dataset Basic Dataset Information Name Generated CMI Part Dataset Information Description	
•	Template Dataset Select template dataset Basic Dataset Information Description	

Figure 12: The CMI RII Create dialog for item and dataset with template

There is a new create dataset dialog. In this dialog the template dataset can be selected (see Figure 13).

Dataset	<u>×</u>
Template Dataset	Select template dataset
Basic Dataset Information Name	
CMI Auxiliary Part Dataset Information Description	
	•
	Ok Cancel

Figure 13: The CMI RII Create dialog for dataset with template

Use of CATScript Macros in Catalog

CATScript files can now be registered in Teamcenter with the CATIA Script dataset CMI2Script.

New Insert CATScript from Teamcenter command allows insertion of CATScripts from Teamcenter into Teamcenter managed catalogs.

🔌 Query script dataset		x	
Owning User	Sde5225		
Owning Group	Sengineering	9	
Name			Script Dialog
Dataset ID			Please select the script dataset.
Revision			AllOpenDocuments
Dataset Type	CMI2Script	9	
Description			
Filename			
Ok	Cancel		Ok Cancel New Query

Figure 14: CATScript query in Teamcenter

🛐 CATIA V	5 - [Macro	s.catalog]										x
Start	Datei	<u>B</u> earbeiten	Ansicht	E <u>i</u> nfügen	Tools	С <u>М</u> І	<u>F</u> enster	<u>H</u> ilfe	5	t	- 15 á	Ξ×
Aacr C C	os.catalo hapter.1	g onentfamily.	ī	<u>•</u>	Suche Filter: Ergebnis Referer 1 AllC	iz Sc ne penDoc	hlüsselwörte CN uments SC	r Vorai IL_TYPE* RIPT	nzeige	Abgeleitete	Jaten	

Figure 15: CATScript inserted in the CATIA catalog

Configuration

Set CMI_ENABLE_CMICATALOGINSERTSCRIPTCMD=ON in the CATIA environment.

Support of CGM type files

CMI RII now supports the CGM: Computer Graphics Metafile format for basic Read and Update operations with CATIA V5.

CGM-Files are handled in the same manner as CATDrawings.

The support of sending CGM files to CATIA can be configured in the CMI RII preferences (see Figure 16).

V Options	12 8 3 8 8 8 1 3 4	
S Options		
Options Options All ARM Transaction Monitor Analysis Analysis GMT RI Dataset GRM Integration For I-deas Lifecycle Visualization List Of Values Logging Mail Manufacturing Mail Manufacturing Project Requirements Management STD	Send To CATIA Send drawings to CATIA? Nome Only CGR CGR + geometry Work with CATIA Version V5 V4 Read Mode for Read From CATIA Use Standard Read Mode	Send cgms to CATIA? E ○ Use DMU Read Mode
Search Security System eintegrator CAE Tools Batch Meshing General Inspector Caendar Caendar Contons Index Search Organization	Use Automatic Read Mode Newstuff Setting Items One None	Datasets O Newstuff Folder O None
		<u>O</u> K <u>A</u> pply <u>C</u> ancel

Figure 16: CMI RII Preferences for CGM support

Configuration

Set CMI_ENABLE_CGM=ON in the CATIA environment. This will enable the *Update*, *Synchronize*, *Save As* and *Save for Doc* commands if a CGM is the active document in CATIA.

Customizable naming schemes for Export

When CATIA files are sent to a partner, it is often necessary to enrich the file names with information – like e.g. appending the revision number. The Export functionality has been enhanced with a default implementation to customize the part number and the file name when files are exported.

One of the following naming schemas can be selected (see Figure 17):

Use external names: no changes

FileName -> FileName_Revision: the revision of the object is added to the given file name

PartNumer -> PartNumber_Revision: the revision of the object is added to the given part number

FileName -> FileName_Revision and PartNumber -> PartNumber_Revision: both values are changed; see above



Figure 17: Naming Schema dialog

Configuration

Set CMI_EXPORT_CUSTOMIZE_NAMING=ON in the CATIA environment to enable this functionality.

In order to switch on the dialog of the default implementation you have to set the Teamcenter preference CMIUseNamingSchemaDialog to "1".

Volume/Neighbourhood Search in PSE

CMI provides bounding box information when saving geometry files to Teamcenter. This information is stored in Teamcenter Forms inside the Datasets.

The search criteria can be defined in two ways:

- Neighbourhood Search
- Volume Search

Neighbourhood Search:

Select one or more lines in the Structure Manager Application. The bounding boxes of the selected lines (see Figure 24) are used as search criteria.



Figure 18: Neighbourhood Search

Volume Search:

Select a volume by defining 2 points which define a cuboid in the global coordinate system as search criteria (see Figure 19).

💱 Structure Manager - Teamc	enter 8 🗖 🗖 🖾
File Edit View CMIRI C ☑ I	iraphics Tools Window Help ← Sin & 🖉 N 🗟 🕲 🕸 🖉 □ 🖄 🖏 🖓 🔍 M < ► M
	Inager (Alexander Staudinger (sde5225) - Engineering / Designer [IMC2121914433]
Enter Item ID to se	Engine/A;1 (View) - Latest Working - Date - "Now"
Quick Links Customize	BOM Line Item Type Supersedure Attachments
Open Items	Volume definition
History	Cra Please enter the Volume by 2 points [mm]
 ▼ Favorites Organize 	V Sorta Point 1 V Sorta Cra V Sorta Cra
I Want To Customize	Piston z: 50.0 V 3 Pist Ok
GMI RII	V 3 PistonBolt/A:1 Item V 3 RetainingRing/A:1 Item
Lifecycle Viewer	
Nolume search	► ► ► ► ► ► ► ► ► ► ► ► ► ► ► ► ► ► ►

Figure 19: Volume definition Dialog

🔮 Options	
🖉 Options	
	Transfer CGR files To CATIA No Only CGR CGR + geometry Work with CATIA Version V5 V4 Read Mode for Read From CATIA Use Standard Read Mode Use Automatic Read Mode Use Automatic Read Mode Newstuff Setting Items Datasets Newstuff Folder MU Settings DMU
·	
Options Index Search Organization	
	OK <u>Apply</u> <u>Cancel</u>

The DMU clearance can be set in the CMI RII options panel (see Figure 20).

Figure 20: CMI RII preferences panel

After defining the search criteria the structure is searched for bounding box information which is stored in the following dataset types:

- CMI2Part, CMI2Model, CMI2Cgr, CMI2Rep,
- CMI2AuxPart, CMI2AuxModel, CMI2AuxCgr, and CMI2AuxRep, CMIArchive

(-

The Volume Search and the Neighbourhood Search command computes the result and selects the lines in the Structure Manager. This result can then be sent to CATIA V5 using the new command "Send selected To CATIA" (see Figure 21).



Figure 21: Selected result lines in Structure Manager

Configuration

To store the bounding boxes in Teamcenter you have to set the following CATIA Environment:

set CMI_CALC_BBOX=ON

set CMI_BOUNDING_BOX_EXCLUDE_HIDDEN=ON (optional)

Enhanced Window Management with Windows OS

Now the CATIA application window comes to foreground without user action.

Zero Quantity support

The used items with quantity = 0 will not be loaded from Teamcenter to CATIA V5. In the CMI RII application the used items with quantity = 0 will not be expanded.

Configuration

Set the CMI RII preference "CMIDoNotLoadZeroQuantity" to "1" in the Teamcenter environment.

CheckOut Item Revision after Create

The standard Teamcenter preference "CheckoutOnCreatePref" is used in the create process of CMI RII for item revisions.

Configuration

Set the standard preference "CheckoutOnCreatePref" to "1" in the Teamcenter environment.

Create item for Catalog

Now it is possible to create an item object for a new catalog in Teamcenter. The dataset with the catalog will be related to this item.

Configuration

Set the CMI RII preference "CMICreateItemForCatalog" to "1" in the Teamcenter environment.

Derived files for CATDrawing

CATIA V5 can write derived files for a CATDrawing in several formats (e.g. pdf and tif). These derived files will be stored in an own dataset with the same name like the drawing dataset.

When the drawing dataset is related to an item then the datasets for the derived files will be related to this item, too.

Configuration

Set the CMI RII preference "CMIDrawingFileFormatsList" in the Teamcenter environment. This list of formats supports the values "pdf" and "tif".

CMI Info list view enhancement

The *Multiple Objects* view in the Info dialog is now available even if only a single node is selected in CATIA (see Figure 22).

CI	MI - Informati	ion					? x
	Product Prop	erties					
	Single Obje	ect Multiple	Objects				
	State	Access	CMI	PartNumber	Nom	enclature	
	Open	Read Write	CMI	FixedParts	Fixed	IParts	
	•						•
		• • • • • • • • • • • • • • • • •					· · · · · · · · · · · · · · · · · · ·
							Close

Figure 22: Info List

Multiselection Reconnect

In the Reconnect dialog (see Figure 23) you can now apply the Synchronize configuration options for multiple selected items. This facilitates e.g. to mark an assembly with all its subassemblies as New, to make a deep copy of an assembly structure.

CMI Reconnect						and the second s	? <mark>*</mark> **
Synchronize St	TC file access	Partnumber	Instancename	Parent Partnumber	Туре	Filename	Synchronize configuration
Se Can be upda	Read Write*	Engine			CATProduct	Engine.CATProduct	Ignore item
📲 Can be upda	Read Write*	FixedParts	FixedParts.1	Engine	CATProduct	FixedParts.CATProduct	0
🌄 Can be upda	Read Write*	CylinderBlock	CylinderBlock.1	FixedParts	CATPart	CylinderBlock.CATPart	E O Update
🌆 Can be upda				FixedParts			O New
🍟 Can be upda	Read Write*	Case	Case.1	Rack	CATPart	Case.CATPart	Part Number
🋂 Can be upda	Read Write*	Screw	Screw.1	Rack	CATPart	Screw.CATPart	
🇣 Can be upda	Read Write*	Screw	Screw.2	Rack	CATPart	Screw.CATPart	Instance Name
📲 Can be upda	Read Write*	Screw	Screw.3	Rack	CATPart	Screw.CATPart	
🋂 Can be upda	Read Write*	Screw	Screw.4	Rack	CATPart	Screw.CATPart	File Name
🗣 Can be upda	Read Write*	PistonAssm	PistonAssm.1	Engine	CATProduct	PistonAssm.CATProduct	
D. C. L.	Dural Miller*	D:+++-D+1+A+++++	D: D-I+A 1	D:	CATRUSICA	DistanDalkAssas CATDas Just	•
Select Unknown	Reconnect	t Selected Recon	nect CMIArchives				
							OK Gancel

Figure 23: Reconnect dialog

Changed/enhanced Functionalities

Createltem FormDefinition for ItemTypes

In the create dialog for item and item revision it is possible to fill several forms with attributes. These forms will be created or used if they already exist.

This existing functionality is enhanced in order to handle the forms based on the item type and item revision type.

Configuration

Set the CMI RII preferences "CMICreateItemItemFormList" and "CMICreateItemItemRevisionFormList" in the Teamcenter environment. See CATIA Teamcenter Interface RII Customizing Manual for details.

Component handling

In general, a CATIA component – that is not a CATProduct - cannot be synchronized to Teamcenter, since the component is local to its CATProduct and cannot be mapped to a Part in the BOM (as Parts are required to be reusable in different Assemblies).

However, CATIA components can be skipped or ignored by CMI based on a configuration, to support specific use cases. CMI expands the possible use cases with new configuration options:

- Skip Component based on the type of feature (e. g. Wire Bundle)
- Identify Node type based on its instance name, rather than part number
- Option to ignore all components that have no children

Configuration

In the CMI Configuration File in the section "ConfigurableBehaviors" a node can have the tag "ProductType", e.g.:

If the above configuration is set, an embedded CATProduct of the type ElecWireGroup will be skipped in the CMI Synchronize.

To facilitate configuration, the feature type of components is shown in the CMI Info dialog.

To ignore or skip component nodes based on their instance name the tag InstanceNamePrefix is introduced:

This example will ignore components where the instance name begins with "XY_".

To generally ignore – and hence admit - components that do not have child nodes, set the variable CMI_IGNORE_EMBEDDED_LEAFNODE=ON in the CATIA environment.

CMI RII VERSION 3.0

New Functionalities

Name Mapping of external Data

A set of functional extensions allow to map CATIA data that exists both in the customers PDM system and at a partner site, but under different names.

Import-Synchronize with mapping file

The Synchronize dialog (see Figure 24) has been enhanced with an option to record or map original names for CATIA data that is stored in Teamcenter.

CMI Synch	ronize Teamcenter					_ 🗆 ×
Operation L	.ist					
Next Op	Part Number	Nomenclature	Category	Operation	Execute Result	
>	ExternalAxisGeoDesignTable.xls	DesignTable.1	DesignTable	Create	Y	
	ExternalAxisGeo		CATPart	Create / Link	Y	
	ExternalAxis		CATProduct	Create / Link	Y	
	ExternalInnerWheelDesignTable1.xls	DesignTable.1	DesignTable	Create	Y	
	ExternalInnerWheelDesignTable2.xls	DesignTable.2	DesignTable	Create	Y	
	ExternalInnerWheel		CATPart (BOM)	Create / Link	Y	
	ExternalOuterWheel		CATPart (BOM)	Create	Y	
	ExternalWheel		CATProduct	Create / Link	Y	
	ExternalStructure		CATProduct	Create / Link	Y	
•						
Edit PDM-	Part category			Info	Synchronize	Close
Output win	dow					
Single s	tep mode 🧧 Write import/export mappi	ng file				

Figure 24: The CMI RII Synchronize dialog in CATIA V5

An XML mapping file is created and attached to the Top level assembly in Teamcenter of the new structure.

000185/A;1-InternalStructure (View) - Latest Working	- Date - "Now"			🛅 🛗 🖂	
BOM Line	Variants	🖉 🖉 Vie	👓 Viewer		
000185/A;1-InternalStructure (View)	🎾 Referencers	😕 Referencers 🛛 💊 Superse			
000186/A;1-InternalAxis	Line		Description	F	
> 000188/A;1-InternalInnerWheel	🤌 000185/A;1-InternalSt	truc			
	000185/A			Item Master	
🖮 🤣 000187/A;1-InternalWheel (View)				BOM View F	
	🗈 🗔 View			Collection	
000189/A:1-InternalOuterWheel	📗 🖶 🚮 000185/A	Internal	Structure	Specificatio	
				Specificatio	

Figure 25: The CMI RII Context menu in CATIA V5

Export – Export Structure to Folder

A new *Export Structure to folder* function (see Figure 26) allows to export CATIA data that was loaded from Teamcenter to a specific folder. Original file names can be restored thanks to the mapping file.



Figure 26: The CMI RII Export structure to folder command in CATIA V5

Reimport – Reconnect with name mapping

In order to update files received from a partner with different naming the Reconnect function has been enhanced to use mapping files. Data can also be reconnected with Teamcenter going by user supplied names.

ynchronize S	TC file access	Partnumber	Instancename	Parent Partnumber	Туре	Filename	Synchronize configuration
CMI-Unknown	Read Write*	ExternalStructure			CATProduct	ExternalStructure.CATProduct	Ignore item
CMI-Unknown	Read Write*	ExternalAxis	Axis.1	ExternalStructure	CATProduct	ExternalAxis.CATProduct	
CMI-Unknown	Read Write*	ExternalAxisGeo	AxisGeo.1	ExternalAxis	CATPart	ExternalAxisGeo.CATPart	
CMI-Unknown	Read Write*	ExternalWheel	Left Wheel	ExternalStructure	CATProduct	ExternalWheel.CATProduct	New
CMI-Unknown	Read Write*	ExternalInnerWheel	InnerWheel.1	ExternalWheel	CATPart	ExternalInnerWheel.CATPart	PartNumber
CMI-Unknown	Read Write*	ExternalOuterWheel	OuterWheel. 1	ExternalWheel	CATPart	ExternalOuterWheel.CATPart	InternalInnerWheel
CMI-Unknown	Read Write*	ExternalWheel	Right Wheel	ExternalStructure	CATProduct	ExternalWheel.CATProduct	InstanceName
							InnerWheel. 1
							InternalInnerWheel.CAT
elect unknown	Reconner	ct selected Use m	apping file	CMIArchives			

Figure 27: The CMI RII Context menu in CATIA V5

Copy Structure facility

Another enhancement of the Reconnect dialog allows to copy structures with or without subassemblies. CATProducts and CATParts originally opened from Teamcenter can be flagged as New.

Synchronize will then create new Teamcenter objects for these files. This also allows to create PDM items for the contents of an Archive.

CMI Contextual Menu in CATIA

Several CMI functions that correspond to a selected product have been added to the CATIA context menu. They become active depending on applicability, and appear only if the corresponding toolbar button is configured.

This feature can be disabled.



Figure 28: The CMI RII Context menu in CATIA V5

CATIA version handling

The information about the CATIA release, hot fix and service pack is stored Teamcenter.

While loading from Teamcenter to CATIA, the stored CATIA release is compared with the actual CATIA release. If the stored CATIA release is higher, the data are not loaded to CATIA and a warning message is shown (see Figure 29) in CATIA.

С	MI Messages
	CMI Warnings CMI Information
	The model object 000186/A was saved with CATIA release 20 and cannot be I
	۰ III ۲
	The model object 000186/A was saved with CATIA release 20 and cannot be loaded with the current CATIA.
	CMI Operation Status Workbench successfully read from Teamcenter

Figure 29: Warning in CATIA V5

Configurable Newstuff folder

In the CMI RII preferences dialog, the newstuff settings can be set. It can be defined for new Items and Datasets to which folder they should be linked:

- The default Newstuff Folder will be used.
- The folder is chosen by the user.
- The newly created object should not be linked to a folder.

🔌 Options	X
💈 Options	
Options AlE ARM Transaction Monitor Analysis CNLTRI Dataset GRM Integration For I-deas Lite Of Values Lide Of Values Lide Of Values Mail Manifacturing Nai Product Structure Project Refresh Notify Requirements Management STEP	Send Drawings To CATIA Image: Send drawings to CATIA? Transfer CGR files To CATIA No Only CGR Image: CGR + geometry Work with CATIA Version Image: V5 V4 Read Mode for Read From CATIA Image: Use Standard Read Mode Image: Use DMU Read Mode
Search	Use Automatic Read Mode
System System Integrator Eatch Meshing General Inspector Calendar Default Base Calendar	Newstuff Setting Items Datasets Newstuff Folder Newstuff Folder Home/CAD Image: Comparison of the set
Options Index Search Organization	
	<u>O</u> K <u>Apply</u> <u>Cancel</u>

Figure 30: The CMI RII application options dialog

Figure 30 shows the relevant settings for the Configurable Newstuff folder in the CMI RII Options.

Dataset types for geometry

New Dataset types are available for the different geometry files in CATIA. CATPart's, model's, cgr's, or representations can be created with their own Dataset Types.

Check In/Check Out Dialog enhancement

CMI -	Check In / Che	ck Out						<u>? ×</u>
Selec	t Files to change i	ead only state						
Inf	o CATIA State	TC-State	Name	Checked-Out By	Object String Dataset	Object String Item Revision	Result	
		d Checked Out	Crankshaft	Designer (designer)	Crankshaft/A	Crankshaft/A;1	CHECK OUT successful	
•		📩 Checked In	ConnectionRod.1 [ConnectionRod.CATPart]		ConnectionRod/A	ConnectionRod/A;1		
E		🏥 Checked In	PistonComplete		PistonComplete/A	PistonComplete/A;1		
Ľ		📩 Checked In	FixedParts		FixedParts/A	FixedParts/A;1		
E		🏥 Checked In	CrankShaftLeft.1 [CrankShaftLeft.CATPart]		CrankShaftLeft/A	CrankShaftLeft/A;1		
±		📩 Checked In	CrankBolt.1 [CrankBolt.CATPart]		CrankBolt/A	CrankBolt/A;1		
1		📩 Checked In	CrankShaftRight.1 [CrankShaftRight.CATPart]		CrankShaftRight/A	CrankShaftRight/A;1		
E		🖞 Checked In	Piston.1 [Piston.CATPart]		Piston/A	Piston/A;1		
		📩 Checked In	PistonBoltAssm		PistonBoltAssm/A	PistonBoltAssm/A;1		_
		🖞 Checked In	PistonBolt.1 [PistonBolt.CATPart]		PistonBolt/A	PistonBolt/A;1		<u> </u>
Che	ck Out Einiched							
CN	AI2Product object	Crankshaft/A checked	out.					
Cru	ankshaft.CATProd	gea ror the rollowing n uct	les:					-
,								
Rel	fresh from TC	Check In Chec	k Out Revise					
No.								Close

Figure 31: Check In/Check Out dialog

Additional columns can be configured in CATIA and the values for these attributes will be sent from Teamcenter. Details please see in the Configuration Manual. In Figure 31 the columns "Checked-Out By", "Object String Dataset", and "Object String Item Revision" are added by configuration.

Use Latest ItemRevision in catalogs

CMI can store the Item ID, not only the ItemRevision ID in CATCatalogs. Manage Catalogs opens always the latest item revision of the Item, and not a static revision If the Dynamic catalog support is enabled.

Use CATIA filename/Partnumber

When new Auxiliary (Non BOM) files are stored in Teamcenter, the File names from CATIA can be stored.

The part number from new Auxiliary (Non BOM) files from CATIA can be stored in Teamcenter and used for the Read command.

The part number from CATIA can be used for the Dataset naming for the Auxiliary (Non BOM) files.

Use Pack BOM Line

Use existing (for same PartNumber) Find No. in Teamcenter in the assembly for new instances.

When the Existing Find No Support is enabled, CMI RII will use existing Find No. for new Children with the same part number. So the Lines are packed in the Structure Manager Application in Teamcenter.

CMI RII VERSION 2.3

New Functionalities

Naming convention

The types and attributes have been renamed to the new naming convention of Teamcenter 8.3. The prefix is "CMI2".

CMI RII functionality in several applications

The following functions are now available in the "Structure Manager", the "Multi-Structure Manager", and the "Manufacturing Process Planner" application:

- Send To CATIA
- Send DMU To CATIA
- Temp To CATIA
- Insert To CATIA
- Cancel CATIA Action
- Highlight in CATIA

Select Item Type

The item type in the create item dialog can be selected from a list of valid item types. This list can be defined in the preferences.

🎾 Create Item	×
Item Type	
Item *	Select item type
Basic Information	
ID / Revision - Name	
Product3 * / * -	* Assign
Titem Information	
Description	
Unit of Measure	
<u> </u>	
	
	•
4	F
Remember Attributes Ok Cancel	

Figure 32: Create Item dialog with Select Item Type button

🎾 Select item type	×				
Select the item type that you want to create.					
Item Type Item	~				
Ok	Cancel				

Figure 33: Select Item Type dialog

The select button is deactivated if there is only one item type available in the list.

Create item dialog with forms

It is possible to fill several forms for item and item revision in the create item dialog. They are displayed in the sections "Item Form Information" and "Item Revision Form Information" in the dialog.

Basic Information
D) Revision - Name
- Item Information
Description
Unit of Measure
Item Form Information
Item Master
Item Comment
Previous ID
Project ID
Serial Number
User Data 1
User Data 2
User Data 3
Titem Revision Form Information
_ ItemRevision Master
Item Comment
Previous Version ID
Project ID
Serial Number
User Data 1
User Data 2
User Data 3

Figure 34: Forms in the create item dialog

Remember Attributes

The attribute values – except basic information attributes – of the create item and the create dataset dialog can be stored depending on the item/dataset type. These stored attributes will be filled as default in the new create dialog for the same type.

🎐 Create Item	×
Item Type	
Item *	Select item type
Basic Information	
ID / Revision - Name	
000131 * / A * - 000131	* Assign
- Item Information	
Description 000131 Desc	
Unit of Measure	
	
	▼ ▶
Remember Attributes Ok Cancel	

Figure 35: Create Item dialog with Remember Attributes check box

Enhanced Support for Read mode from CATIA

.

A new Option is added to the CMI RII options.

With the "Read Mode for Read From CATIA" option the read modus for the Read command within the CATIA V5 command can be changed.

- Use Standard Read Mode Send the visible (expanded) children to CATIA
- Use DMU Read Mode Send the DMU marked (checked) children to CATIA
- Use Automatic Read Mode Use DMURead Mode if the Viewer is active Use Standard Read Mode if the Viewer is not active.



Figure 36: CMI RII options

CATProcess Support

Support for the CATProcess CATIA V5 data type. See User Manual: *Handling Of CATProcess.*

CMI RII VERSION 2.2

New Functionalities

CMIArchive support

CMI RII supports the use of CMI Archives. A CMI Archive is a dataset in Teamcenter which contains a CATIA V5 structure. The structure has one root item which can be a CATProduct or a CATPart. If the root item is a CATProduct, it can contain more items of type CATIA V5 Component, CATIA V5 CATProduct or CATIA V5 CATPart.

		CATIA V5 - L	CMI - 0	00160					
		Start File	<u>E</u> dit	⊻iew	Insert	Tools	C <u>M</u> I	<u>A</u> nalyze	<u>W</u> inc
My Teamcenter (2007) - T File Edit View Translation (Back • • • • My Teamc Search Enter Item ID to see • Quick Links Customize • Home • Quick Links Customize • My Worklist • My Projects • My Saved Searches • Open Items	eamcenter 8 MI - RII Tools Window Help My Teamcenter (2007) (Alexander St My Teamcenter (2007) Polders Polders 000160 000160 000160/A;1 0000160/A;1 000160/A;1 000160/A;1 000160/A;1 000160/A;1 000160/A;1 000160/A;1	Start Ele	Edit Edit ArchiveRoot hiveRo hiveRo Archiv S	View (Archive potChild potChild: potChild: reRootChild:	Insert CMI Arcc 1 2 2 1 1 2 2 1 1 2 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 2 1 1 1 2 1	Tools Informa hive Prope adje Objection Catia attrib change ma catia attrib change ma change ma	CMI ation ation arties arties ap file n. ap file n. ap file n. ap file n. atribu ar atribu ar atribu atribu ar atribu	Analyze	Winc cts
Image: Structure Manager Imager <td></td> <td></td> <td>) 🎒</td> <td>X È</td> <td></td> <td>2 (24</td> <td>\$</td> <td>fee §</td> <td>) 8</td>) 🎒	X È		2 (24	\$	fee §) 8
		1 element selecte	4						

Figure 37: CMI Archives

The picture above shows on the left side the Teamcenter dataset and on the right side the example content in CATIA V5.

Design Table support

CATIA V5 Design Tables can be stored in Teamcenter. Both CSV and Excel files are supported. The Design Table dataset is linked to the Item Revision and to the CATPart. Design tables referenced by CATParts and CATProducts are supported.

Design tables are not stored by default because of performance considerations; also, you need a sound methodology if you allow the use of design tables in your methodology, since design tables have the power to change your product structures.

The Teamcenter administrator needs to set CMIWorkWithDesignTables to 1 in the Teamcenter preferences in order to enable the Design Table support.

The CATIA administrator needs to set CMI_USE_DTFORPRODUCT=ON in the CATIA environment in order to enable the support of Design Tables and CATProducts.

Drawing frame support

CMI RII can automatically update text fields in the Drawing title blocks with attributes from Teamcenter. This requires a configuration in Teamcenter.

CMI RII will update the Knowledgeware Parameters in the CATDrawing document. In CATIA the Knowledgeware Parameters can be defined in the CATDrawing object. With the Attribute Link command in CATIA these parameters can be connected to text fields in the CATDrawing.

With the *CMIRead* command the parameters are updated in the CATDrawing document in CATIA.

Performance improvements

Performance of the CMI RII was improved in several ways.

One improvement was the caching of CMI preferences. So the change of CMI preferences requires a Teamcenter Rich Client restart. The preference caching can be disabled by setting CMI_CACHE_PREFERENCES=OFF in the Teamcenter Environment.
CMI RII VERSION 2.1

New Functionalities

Dataset pseudo Revise

The CAD datasets can be pseudo revised with CMI RII. This is possible in the dialog shown above in CATIA V5 and with a CMI RII command in the Rich Client.

Create Dialog

CMI RII can be configured to display a create dialog for item and dataset. The attributes of the dialog are taken from the data model definition of the Business Modeler.

🎾 Create Item			×
Basic Information			
ID / Revision - Name			
Product1 * /	* -		Assign
_Item Information			
Description			
Unit of Measure			
			<u> </u>
0	k	Cancel	

Figure 38: Create Item dialog

CMI RII VERSION 2.0

New Functionalities

Teamcenter 8 Support

CMI RII supports the new release of Teamcenter 8.

Alternate Representations

An Item Revision can be represented in CATIA by different 3D-geometries. An alternative geometry represents the Item Revision it belongs to in a specific state/usage or aspect of the part, e.g. MASTER, OPEN, FLYAWAY and ENVELOPE.

Alternate Representations (ALT-reps) are handled globally and do not depend on the occurrence/instance of the Item Revision.

In CMI RII, an Alternate Representations filter can be applied. The Filter is used to filter the datasets (all dataset types, handled in CMI RII), which should be send to CATIA.

This dataset filter is defined in CMI RII options. In the Teamcenter Preferences the Alternate Representation list is defined. The first entry is called the MASTER. The next are the alternate representations.

Modified on Assembly

In the standard case the physical (CAD) data of a product is defined by the configuration and effectivity (TVE) of the BOM structure. Though, often, the CAD data must be altered depending on where a specific part is used in the assembly structure. Examples are flexible parts like a bent hose or parts that become modified when applied in the manufacturing process, like cut bolts or holes in a standard plate.

Basically, the same Item Revision in the BOM can exist in different aspects in the physical world when it is assembled. The geometrical representation of an Item Revision (Component or Assembly) can alter depending on the design context that is defined by a higher assembly Item Revision. The positioning of Item Revision in-stances may alter too when "Modified On Assembly" (ModOn) geometries are used in an product structure.

The ModOn Assembly provides the necessary functionality to support the described scenarios.

CATIA V4 Support

CMI RII supports CATIA V4 as CAD client.

Insert from Teamcenter

The Insert from Teamcenter command allows the user to load a CMI structure under a selected product. This change of the product structure has to be updated separately.

Translation Service Support

When CMI RII updates or creates files in Teamcenter a Dispatcher Request is created in Teamcenter to translate the files in Teamcenter with the ETS of Teamcenter. The ETS of Teamcenter must be installed and configured correctly to translate the required File Datasets.

Check In/Check Out

It is possible to check in and check out the dataset in Teamcenter out of a dialog in CATIA V5. In the dialog there is shows which action is possible.

ciccer lies to thange rea	d only state				
TC-State	Modified	Filename	Result		
No Access	YES	MyProd11.CATProduct			
🛓 Check In possible	YES	MyProd 12. CATProduct	lyProd12.CATProduct		
🖞 Check Out possible	NO	MyProd13.CATProduct			
🖉 Revise possible	YES	MyProd 10.CATProduct			
≂etched info from Teamo	enter				

Figure 39: Check In/Out dialog

CMI RII VERSION 1.2

New Functionalities

Support for released cache cgr files

CMI RII supports the use of CGR files in the *released cache* of CATIA V5. For this purpose the CGR files of CATIA models are stored in Teamcenter. During *To CATIA* these CGR files are copied to the released cache instead of the CATIA models to the exchange map. In CATIA V5 the CGR files are loaded in visualization mode.

Support for auxiliary geometry files

The standard behaviour for CMI RII is that every object in CATIA will be represented by an item object in Teamcenter. Auxiliary geometric objects which are not relevant for the BOM (not represented by an item in Teamcenter) must be stored in Teamcenter under Item Revisions.

An "Auxiliary Dataset File" or AUX Dataset is a geometrical representation (CATPart, CATIA V4 model, ...) that has a meaning for the design process but does not represent an Item Revision in the Bill of Material. An AUX Dataset file is referenced by a parent CATProduct that represents the Assembly Item Revision in CATIA. An AUX Dataset is an additional Dataset at this Assembly Item Revision. Multiple different AUX Dataset Files are possible at one Item Revision node.

Reconnect with Teamcenter

The Reconnect with Teamcenter command in CATIA V5 allows the user to open a CATIA structure and to find the corresponding objects in Teamcenter. The objects are identified on their Part Number and File Name. The user can decide which objects have to be queried in Teamcenter.

CMIReconnectDialog					<u>? ×</u>			
	Status	TC file access	Partnumber	Instancename	Parent Partnumber	Туре	Filename	
	CMI-Unknown	Read Write*	001420	001420		CATProduct	001420.CATProduct	
	CMI-Unknown	Read Write*	001431	001431.1	001420	CATPart	001431.CATPart	
	CMI-Unknown	Read Write*	001451	001451.1	001420	CATPart	001451.CATPart	
	CMI-Unknown	Read Write*	001451	001451.2	001420	CATPart	001451.CATPart	1
	CMI-Unknown	Read Write*	001451	001451.3	001420	CATPart	001451.CATPart	
	CMI-Unknown	Read Write*	001451	001451.4	001420	CATPart	001451.CATPart	
	CMI-Unknown	Read Write*	004419	Product1.1	001420	CATProduct	004419.CATProduct	
	CMI-Unknown	Read Write*	004417	Part1.1	004419	CATPart	004417.CATPart	
	CMI-Unknown	Read Write*	004669	glas1.1	004419	model	004669.model	
	🖁 CMI-Unknown	Read Write*	004433	glas2.1	004419	cgr	004433.cgr	
	Select unknown Reconnect selected							
							OK 🥥	Cancel

Figure 40: Reconnect dialog

The status can be:

CMI-Unknown: CMI does not know this item at all. It would be created as a new Part in Teamcenter.

CMI-Reference: CMI knows this item is in Teamcenter. But it appears that in Teamcenter there is no instance known by the same instance name under the same parent item. Maybe it was deleted or is new. It would be created as a new Part instance in Teamcenter.

atus	TC file access	Partnumber	Instancename	Parent Partnumber	Туре	Filename
CMI-Refere	Read Write*	001420	001420		CATProduct	001420.CATProduct
CMI-Instan	Read Write*	001431	001431.1	001420	CATPart	001431.CATPart
CMI-Instan	Read Write*	001451	001451.1	001420	CATPart	001451.CATPart
CMI-Instan	Read Write*	001451	001451.2	001420	CATPart	001451.CATPart
CMI-Instan	Read Write*	001451	001451.3	001420	CATPart	001451.CATPart
CMI-Instan	Read Write*	001451	001451.4	001420	CATPart	001451.CATPart
CMI-Instan	Read Write*	004419	Product1.1	001420	CATProduct	004419.CATProduct
CMI-Instan	Read Write*	004417	Part1.1	004419	CATPart	004417.CATPart
CMI-Instan	Read Write*	004669	glas1.1	004419	model	004669.model
CMI-Instan	Read Write*	004433	glas2.1	004419	cgr	004433.cgr
elect upknown	Reconne	ct selected				

CMI-Instance: CMI knows this instance is in Teamcenter. It can be updated in Teamcenter.

Figure 41: Reconnect dialog - processed

With clicking the "OK" button the user accepts the result of the reconnect action. The objects are in the modified state. When he clicks on the "Cancel" he keeps the objects as unknown.

Via Synchronize he can save the changes in Teamcenter.

Insert from Teamcenter

The Insert from Teamcenter command in CATIA V5 allows the user to load a CMIstructure under a selected product. He drops the assembly-structure he wants to use in CATIA V5 in the CMI RII application window and clicks Tools \rightarrow Insert To Catia or the icon.

CMI RII - Teamcenter 2007					
File Edit Tools Window Help					
🔄 🔄 🛛 Send To Catia					UGS Teamcenter
😔 Back - 🎝 Insert To Catia	hringer (sde5283) - Engineering/Designer [IM	C-496495591])			× 2
Cancel Catia Action	ng Started 💉 CMI RII 🗙				- 8
House 🔁 🔻	Name	Item Id	Item Name	Revision	Occurrence Name
	🖃 🐨 🤣 Table/A;1 (view)	Table	Table	A	
Quick Links Customize 🔺	🗓 🔽 🤧 Leg/A;1 (view)	Leg	Leg	A	Leg.1
Home »	🗄 🔽 🤧 Leg/A;1 (view)	Leg	Leg	A	Leg.2
S My Worklist S	🗄 🔽 🤧 Leg/A;1 (view)	Leg	Leg	A	Leg.3
My Saved Searches >>	🗄 🔽 🤧 Leg/A;1 (view)	Leg	Leg	A	Leg.4
My Links »	🔽 🐼 TablePlate/A;1	TablePlate	TablePlate	A	TablePlate.1
	🗄 🛛 🔽 🤧 House/A;1 (view)	House	House	A	House.1
	🗄 🕞 🐼 House/A;1 (view)	House	House	А	House.2
Open Items 🔺	🗄 🕞 🤣 House/A;1 (view)	House	House	A	House.3
	🗄 🗁 🗹 🤣 House/A;1 (view)	House	House	A	House.4
🖶 My Teamcenter					
🛃 PSE					
🖌 CMI RII	4				
🍌 🚍 🏇 »	Use PDM Structure active		C	/ 🖉 🥒 🗙 👒 (+ ≜ 🖗 ● 💷 📕
💻 Ready					0

Figure 42: Insert from Teamcenter

The object will be inserted in the structure in CATIA V5.

The dropped part/structure is removed from the CMI RII application window after he sends it to CATIA.

Via Synchronize he can save the new Use-Relation in Teamcenter.

Synchronize - Dialog at Part Number Conflict

Teamcenter can be configured to use the CATIA part number while the synchronize process. This can cause a part number conflict. The user can decide how to continue: Cancel the process, give a new part number, or use an existing item in Teamcenter.

Dreate Item	x				
🗞 Item					
The part number "House" you want to use while creating the "Item" is already in use.					
Please choose how to continue:					
Choose a "New PartNumber" for the object.					
"Cancel" the creation of the object.					
New PartNumber Cancel					
Dreate Item	×				
🗞 Item					
Insert new PartNumber. <u>A</u> ssign	_				
🞾 Create Item	×				
😓 Item					
The part number "House" you want to use while creating the "Item" is already in use.	_				
Please choose how to continue:					
Choose a "New PartNumber" for the object.					
"Use PartNumber" of an existing object.					
"Cancel" the creation of the object.					
New PartNumber Sancel					

Figure 43: Create Item with Part Number conflict

Show dialogs in Create Process

During the create process of an item it is possible to set the properties of the Master Form and the Revision Master Form.

Create Drawing: Automatic attach of CATDrawing to the Item Revision

The newly created CATDrawing with its dataset will be related to the referenced part object.

CMI RII VERSION 1.1

New Functionalities

Send To CATIA from PSE Application

New CMI – RII Menu is available in the PSE Application which allows the Send to Catia from the PSE Application.



Figure 44: Send To CATIA from PSE Application

If the PSE Application is Active in Teamcenter, a Read from Workbench Command from CATIA will read the data from the PSE Application window.

Send To CATIA from My Teamcenter Application

New CMI – RII Menu is available in the My Teamcenter Application which allows the Send to Catia from the My Teamcenter Application. Only CAT Drawings are now supported in the My Teamcenter Application.

My Teamcenter - Teamcenter 2	2007		
File Edit View Tools CMI-RII V	Catia 🛛 🙈 🗠 Search 🥅 B	olders de Bri	UCC To an and a
			UGS Teamcenter
😔 Back 🔹 🗳 🔹 My Teamcente	e r (Alexander Staudinger (sde5225) - Er	gineering/Designer [IMC-496495591])	• *
	Getting Started 🌐 My Teamcenter 🕽	S PSE	- 8
BASE*	4 20081020		×
Quick Links Contaming A	🔁 Folders 🛛 🗙	4 20081020	🎽 Summary 🔻
Home W	4 20081020	Object: Dopprop	
My Worklist >>		20081020	
My Projects >>		Name: 20081020	
😽 My Links 🛛 🚿			
🖄 My Saved Searches 🛛 🚿		Description	
		Description: 20081020	
Open Items 🔹		•	
History		Owner: 🧕 Alexander Staudinger (sde5225) 🔻	
		Group ID: Se Engineering 🔻	
Favorites Urganize		Last Modifying User: 9 Alexander Staudinger (sde5225)	
4 20081020			
🤌 000402/A;1-Welle		Checked Out:	
000392/A;1-Verzahnung_Welle		Checked Out By: No Value	
2000583/A;1-Part1		Checked Out Date: No date set.	
3 004703/A;1-oben			
I Want To Customize 🔺			
🍓 Create an Item			
🍓 Create a Dataset			
V Getting Started			
~			
i My Teamcenter			
🛃 PSE		Summany Impact Analysis	
🥖 CMI RII	Q 0		Check-Out and Edit
🔥 🎪 🍕 🚍 🍌 🕞 »		/ × %	J 🗗 🏁 💕 📴 🕼
💭 Ready			<u></u> 0

Figure 45: Send To CATIA from My Teamcenter Application

Link to Newstuff Folder

New created Items are now linked to the users Newstuff Folder in My Teamcenter.

Performance optimization

Performance optimization for large structures in CATIA CMI Module.